



Main

| | |
|--|--|
| Valve product range | Venta |
| Product or component type | Valve |
| Valve type | Globe |
| Valve product series | V341 |
| Valve model | V341/40/25 |
| Medium compatibility | Glycol 25 % Glycol 30 % Glycol 50 % Water |
| Valve configuration | 3-Way |
| Valve connection type | G External |
| Valve connection size | G 2-1/4B |
| Body size | 40 mm (1-1/2 in) |
| Pipe size | 40 mm |
| Flow characteristic | Equal percentage |
| Flow coefficient | 28.91 cv 25 kvs |
| Pressure class | PN16 |
| Operating fluid temperature | -20...150 °C |
| Pressure fluid max delta P normal life | 599.84 kPa |
| Control valve rangeability | Greater than 100:1 |
| Stroke length | 20 mm |
| Seat leakage | Port A: Less than 0.02 % of kvs (Ports A-AB) Port A: Less than 0.05 % of kvs (Ports B-AB) |
| Stem flow action | Stem up closes A and opens B to AB |
| Stem movement | Linear |
| Trim material | Stainless steel |
| Body material | Bronze Rg5 |
| Seat material | Port A: stainless steel AISI 303 Port B: stainless steel AISI 303 |
| Stem material | Stainless steel AISI 303 |
| Plug material | Stainless steel AISI 303 |
| Stem seal material | EPDM (ethylene propylene diene monomer) |
| Seating seal material | Port A: metal to metal |
| Packing material | EPDM (ethylene propylene diene monomer) |
| Targeted region | Europe Asia Pacific. Australia. |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 9.5 cm |
| Package 1 Width | 13.5 cm |
| Package 1 Length | 21.5 cm |
| Package 1 Weight | 2.93 kg |

Offer Sustainability

| | |
|--------------------------|---|
| EU RoHS Directive | Not applicable, out of EU RoHS legal scope |
| China RoHS Regulation | China RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |