

## Main

Range compatibility	Lexium SD3 Lexium ILS
Product or component type	Adaptation kit
Device short name	GBK
Accessory / separate part category	Adaptation accessory
Product compatibility	ILS BRS3
Accessory / separate part destination	For assembly motor and gearbox
Kit composition	Screws and bolts for mounting A shaft end adaptor An adaptor plate
Gearbox external diameter	60 mm

## Complementary

Motor flange size	57 mm
Number of motor stacks	2 1
Length	20 mm
Net weight	0.2 kg

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.0 cm
Package 1 Width	16.2 cm
Package 1 Length	17.8 cm
Package 1 Weight	223.0 g
Unit Type of Package 2	S06
Number of Units in Package 2	50
Package 2 Height	73.5 cm
Package 2 Width	60.0 cm
Package 2 Length	80.0 cm
Package 2 Weight	24.15 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

---

Circularity Profile	No need of specific recycling operations
PVC free	Yes

---


### Contractual warranty

---

Warranty	18 months
----------	-----------

---

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
16.1	60	M5	66.7	14 x 6.35 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.63	2.36	M5	2.63	0.55 x 0.25 x 0.79