# Product data sheet Characteristics

## MTN693003

Power supply REG, 24 V DC / 0.4 A, light grey





#### Main

KNX	
Power supply	
KNX	
_	Power supply

Complementary

Condition of use	Other device	
	KNX device	
Function of module	With output voltage stabilized	
Mounting support	DIN rail	
Rated operational power in W	9.6 W	
Output current	0.4 A	
Output voltage	24 V	
Connections - terminals	Screw terminals	
Height	68.1 mm	
Width	17.5 mm	
Depth	68.1 mm	

#### Environment

<u> </u>		
IP degree of protection	IP20	

#### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	8.400 cm
Package 1 Length	10.700 cm
Package 1 Weight	104.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	35
Package 2 Height	20.100 cm
Package 2 Width	30.700 cm
Package 2 Length	40.500 cm
Package 2 Weight	4.066 kg

## Offer Sustainability

,		
Sustainable offer status	Green Premium product	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EEU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
China RoHS Regulation	☑ China RoHS Declaration	
RoHS exemption information	<sup>™</sup> Yes	
Environmental Disclosure	<sup>☑</sup> Product Environmental Profile	
Circularity Profile	☑ End Of Life Information	

### Contractual warranty

Warranty	18 months
----------	-----------