ZART8LS

Remote control, Harmony eXLhoist, compact, LED, 6 motion push buttons, 2 auxiliary push buttons



Main

Range of product	Harmony eXLhoist
Product or component type	Hand-held remote control
Device short name	ZART
Control button type	6 configurable motion push-button 2 configurable auxiliary push-button

Complementary

Complementary		
Material	Protective cover: EPDM rubber	
	Push-button cover: polyurethane	
	Enclosure: ABS + PC	
Display type	5 LEDs	
Operating distance	50 m	
Communication network type	Wireless: Zigbee	
Transmission frequency	2.4 GHz	
Maximum sensing distance	100 m in free field	
Response time	< 500 ms at simplex	
Charging time	10800 S	
	0 s	
Autonomy	150 h Li-lon (Lithium-lon)	
,	100 h	
Mechanical durability	1000000 cycles	
Width	85 mm	
Height	193 mm	
Depth	43 mm	
Net weight	0.3 kg	

Environment

Radio agreement	IC	
	FCC	
IP degree of protection	IP65	
Ambient air temperature for operation	-2055 °C	
Ambient air temperature for storage	-2045 °C	
Operating altitude	02000 m	
Storage altitude	03000 m	
Relative humidity	095 % at -2060 °C operating	
Product certifications	CE	

Packing Units

3	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	10.5 cm
Package 1 Length	21.5 cm
Package 1 Weight	423.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	18
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	8.087 kg

Offer Sustainability

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Product data sheet Dimensions Drawings

ZART8LS

Dimensions

