


03461  
MOUNT.PLATE 2 NSX/CVS/INS FIXED/  
PLUGIN TOGGLE/ROT/MOT -3P/4P 630A  
VERTICAL W650





### Main

Range	Prisma
Range of product	Prisma P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma P cubicle
Installation description	Cubicle - width 650 mm depth 400 mm



---

Installed device

EasyPact: fixed CVS400 without earth leakage protection - control: toggle - vertical installation  
EasyPact: fixed CVS630 without earth leakage protection - control: toggle - vertical installation  
EasyPact: fixed EZC400 - control: toggle - vertical installation  
EasyPact: fixed EZC630 - control: toggle - vertical installation  
ComPact: fixed INS320...400 - control: direct front rotary handle - vertical installation  
ComPact: fixed INS500...630 - control: direct front rotary handle - vertical installation  
ComPact: fixed INV320...400 - control: direct front rotary handle - vertical installation  
ComPact: fixed INV500...630 - control: direct front rotary handle - vertical installation  
ComPact: fixed NSX400 without earth leakage protection - control: toggle - vertical installation  
ComPact: fixed NSX630 without earth leakage protection - control: toggle - vertical installation  
EasyPact: fixed CVS400 with earth leakage protection - control: toggle - vertical installation  
EasyPact: fixed CVS630 with earth leakage protection - control: toggle - vertical installation  
ComPact: fixed NSX400 with earth leakage protection - control: toggle - vertical installation  
ComPact: fixed NSX630 with earth leakage protection - control: toggle - vertical installation  
EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle - vertical installation  
EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation  
EasyPact: fixed CVS400 with earth leakage protection - control: direct front rotary handle - vertical installation  
EasyPact: fixed CVS630 with earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: fixed NSX400 with earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: fixed NSX630 with earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: plug-in NSX400 without earth leakage protection - control: toggle - vertical installation  
ComPact: fixed NSX400 without earth leakage protection - control: motor mechanism - vertical installation  
ComPact: plug-in NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: plug-in NSX400 without earth leakage protection - control: motor mechanism - vertical installation  
ComPact: drawout NSX400 without earth leakage protection - control: toggle - vertical installation  
ComPact: drawout NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: drawout NSX400 without earth leakage protection - control: motor mechanism - vertical installation  
ComPact: plug-in NSX630 without earth leakage protection - control: toggle - vertical installation  
ComPact: fixed NSX630 without earth leakage protection - control: motor mechanism - vertical installation  
ComPact: plug-in NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: plug-in NSX630 without earth leakage protection - control: motor mechanism - vertical installation  
ComPact: drawout NSX630 without earth leakage protection - control: toggle - vertical installation  
ComPact: drawout NSX630 without earth leakage protection - control: motor mechanism - vertical installation

Poles description	<p>1 x 3P: fixed CVS400 vertical installation  1 x 4P: fixed CVS400 vertical installation  1 x 3P: fixed CVS630 vertical installation  1 x 4P: fixed CVS630 vertical installation  1 x 3P: fixed EZC400 vertical installation  1 x 4P: fixed EZC400 vertical installation  1 x 3P: fixed EZC630 vertical installation  1 x 4P: fixed EZC630 vertical installation  1 x 3P: fixed INS320...400 vertical installation  1 x 4P: fixed INS320...400 vertical installation  1 x 3P: fixed INS500...630 vertical installation  1 x 4P: fixed INS500...630 vertical installation  1 x 3P: fixed INV320...400 vertical installation  1 x 4P: fixed INV320...400 vertical installation  1 x 3P: fixed INV500...630 vertical installation  1 x 4P: fixed INV500...630 vertical installation  1 x 3P: fixed NSX400 vertical installation  1 x 4P: fixed NSX400 vertical installation  1 x 3P: fixed NSX630 vertical installation  1 x 4P: fixed NSX630 vertical installation  1 x 3P: plug-in NSX400 vertical installation  1 x 4P: plug-in NSX400 vertical installation  1 x 3P: drawout NSX400 vertical installation  1 x 4P: drawout NSX400 vertical installation  2 x 3P: fixed NSX400 vertical installation  2 x 4P: fixed NSX400 vertical installation  2 x 3P: plug-in NSX400 vertical installation  2 x 4P: plug-in NSX400 vertical installation  2 x 3P: drawout NSX400 vertical installation  2 x 4P: drawout NSX400 vertical installation  1 x 3P: plug-in NSX630 vertical installation  1 x 4P: plug-in NSX630 vertical installation  1 x 3P: drawout NSX630 vertical installation  1 x 4P: drawout NSX630 vertical installation  2 x 3P: fixed NSX630 vertical installation  2 x 4P: fixed NSX630 vertical installation  2 x 3P: plug-in NSX630 vertical installation  2 x 4P: plug-in NSX630 vertical installation  2 x 3P: drawout NSX630 vertical installation  2 x 4P: drawout NSX630 vertical installation  2 x 3P: fixed CVS630 vertical installation  2 x 4P: fixed CVS630 vertical installation  2 x 3P: fixed CVS400 vertical installation  2 x 4P: fixed CVS400 vertical installation</p>
Number of vertical modules [50 mm]	<p>13 module(s): CVS400 without earth leakage protection , direct in 650 mm Widecubicle  13 module(s): CVS630 without earth leakage protection , direct in 650 mm Widecubicle  13 module(s): EZC400, direct in 650 mm Widecubicle  13 module(s): EZC630, direct in 650 mm Widecubicle  10 module(s): INS320...400, direct in 650 mm Widecubicle  11 module(s): INS500...630, direct in 650 mm Widecubicle  10 module(s): INV320...400, direct in 650 mm Widecubicle  11 module(s): INV500...630, direct in 650 mm Widecubicle  11 module(s): NSX400 without earth leakage protection , direct in 650 mm Widecubicle  13 module(s): NSX630 without earth leakage protection , direct in 650 mm Widecubicle  15 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle  13 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle  15 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle  13 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle  13 module(s): NSX400 with earth leakage protection , direct in 650 mm Widecubicle  15 module(s): NSX630 with earth leakage protection , direct in 650 mm Widecubicle</p>
Standards	IEC 61439-2
Product certifications	ASEFA

## Complementary

Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Matt Smooth
Colour	White (RAL 9001)
Width	650 mm
Height	372 mm

---

Net weight

5.08 kg

---





## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	5.05 kg
Package 1 Height	4 cm
Package 1 width	30 cm
Package 1 Length	58 cm
Unit Type of Package 2	P12
Number of Units in Package 2	36
Package 2 Weight	194.16 kg
Package 2 Height	105 cm
Package 2 width	80 cm
Package 2 Length	120 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>
Halogen content performance	Halogen free plastic parts product