

Product data sheet

Characteristics

A9A26976

terminal shield - 2 poles - 36 mm - for iC60, iID, Reflex iC60, iSW-NA



Main

| | |
|------------------------------------|----------------------|
| Product name | IKQ |
| Product or component type | Terminal shield |
| Accessory / separate part category | Insulation accessory |
| Colour | White |

Complementary

| | |
|-------------------------------|-------------|
| Range compatibility | Acti 9 iKQ |
| Poles description | 2P |
| Mounting mode | By clips |
| [Ui] rated insulation voltage | 500 V |
| Connection pitch | 36 mm |
| Compatibility code | Reflex_iC60 |

Packing Units

| | |
|------------------|----------|
| Package 1 Weight | 0.046 kg |
| Package 1 Height | 0.400 dm |
| Package 1 width | 0.800 dm |
| Package 1 Length | 1.050 dm |

Offer Sustainability

| | |
|----------------------------|---|
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.